

HIGHWAY DEVELOPMENT & MANAGEMENT

Study Name: **Highway_2020**

Run Date: **09-12-2020**

ID	Name	Speed Flow Type	Traffic Flow Pattern	Road Class	Climate Zone	Surface Class	Calibration Item	Length (Km)	Width (m)	Shoulder width (m)	ELanes
M-1 148.3 - 152.6	M-1 148.3 - 152.6	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-1 148.3 - 152.6	4.30	9.20	2.00	2
M-1 156.7 - 161.2	M-1 156.7 - 161.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-1 156.7 - 161.2	4.50	9.20	2.00	2
M-1 161.2 - 173.7	M-1 161.2 - 173.7	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-1 161.2 - 173.7	12.50	9.20	2.00	2
M-10 113.0 - 124.0	M-10 113.0 - 124.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-10 113.0 - 124.0	11.00	7.98	1.77	2
M-10 17.0 - 24.5	M-10 17.0 - 24.5	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-10 17.0 - 24.5	7.50	7.98	1.77	2
M-10 57.0 - 64.5	M-10 57.0 - 64.5	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-10 57.0 - 64.5	7.50	7.98	1.77	2
M-10 66.0 - 76.2	M-10 66.0 - 76.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-10 66.0 - 76.2	10.20	7.98	1.77	2
M-10 76.2 - 88.0	M-10 76.2 - 88.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-10 76.2 - 88.0	11.80	7.98	1.77	2
M-10 88.0 - 99.0	M-10 88.0 - 99.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-10 88.0 - 99.0	11.00	7.98	1.77	2
M-10 99.0 - 113.0	M-10 99.0 - 113.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-10 99.0 - 113.0	14.00	7.98	1.77	2
M-11 10.8 - 21.8	M-11 10.8 - 21.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-11 10.8 - 21.8	11.00	8.30	1.90	2
M-11 21.8 - 33.0	M-11 21.8 - 33.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot	Bituminous	M-11 21.8 - 33.0	11.20	8.30	1.90	2

M-11 33.0 - 43.6	M-11 33.0 - 43.6	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-11 33.0 - 43.6	10.60	8.30	1.90	2
M-11 43.6 - 56.2	M-11 43.6 - 56.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-11 43.6 - 56.2	12.60	8.30	1.90	2
M-11 6.0 - 10.8	M-11 6.0 - 10.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-11 6.0 - 10.8	4.80	8.30	1.90	2
M-12 0.0 - 13.6	M-12 0.0 - 13.6	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-12 0 - 13.6	13.60	8.30	1.50	2
M-12 13.6 - 28.5	M-12 13.6 - 28.5	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-12 13.6 - 28.5	14.90	8.30	1.50	2
M-14 0.0 - 8.8	M-14 0.0 - 8.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-14 0 - 8.8	8.80	7.80	1.50	2
M-14 60.3 - 73.9	M-14 60.3 - 73.9	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-14 60.3 - 73.9	13.60	7.80	1.50	2
M-14 73.9 -86.9	M-14 73.9 -86.9	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-14 73.9 - 86.9	13.00	7.80	1.50	2
M-14 8.8 - 19.4	M-14 8.8 - 19.4	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-14 8.8 - 19.4	10.60	7.80	1.50	2
M-14 86.9 - 97.8	M-14 86.9 - 97.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-14 86.9 - 97.8	10.90	7.80	1.50	2
M-16 24.1 - 28.2	M-16 24.1 - 28.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-16 24.1 - 28.2	4.10	8.03	1.60	2
M-16 28.2 - 59.0	M-16 28.2 - 59.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-16 28.2 - 59.0	30.80	8.03	1.60	2
M-16 7.0 - 24.1	M-16 7.0 - 24.1	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-16 7.0 - 24.1	17.10	8.03	1.60	2
M-17 0.0 -20.0	M-17 0.0 -20.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-17 0 - 20.0	20.00	7.50	1.50	2
M-17 20.0 - 39.7	M-17 20.0 - 39.7	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-17 20.0 - 39.7	19.70	7.50	1.50	2
M-17 39.7 - 59.0	M-17 39.7 - 59.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-17 39.7 - 59.0	19.30	7.50	1.50	2
M-17 59.0 - 77.0	M-17 59.0 - 77.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-17 59.0 - 77.0	17.70	7.50	1.50	2
M-17 77.0 - 90.8	M-17 77.0 - 90.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-17 77.0 - 90.8	14.10	7.50	1.50	2
M-2 126.1 - 131.5	M-2 126.1 - 131.5	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 126.1 - 131.5	5.40	8.20	1.50	2
M-2 131.5 - 142	M-2 131.5 - 142	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 131.5 - 142.0	10.50	8.20	1.50	2
M-2 142 - 150.7	M-2 142 - 150.7	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 142.0 - 150.7	8.70	8.20	1.50	2

M-2 174.1 - 187.3	M-2 174.1 - 187.3	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 174.1 - 187.3	13.20	8.20	1.50	2
M-2 187.3 - 196	M-2 187.3 - 196	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 187.3 - 196.0	8.70	8.20	1.50	2
M-2 202.2 - 213.4	M-2 202.2 - 213.4	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 202.2 - 213.4	11.20	8.20	1.50	2
M-2 213.4 - 227.9	M-2 213.4 - 227.9	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 213.4 - 227.9	14.50	8.20	1.50	2
M-2 227.9 - 246.7	M-2 227.9 - 246.7	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 227.9 - 246.7	18.80	8.20	1.50	2
M-2 246.7 - 254	M-2 246.7 - 254	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 246.7 - 254.0	7.30	8.20	1.50	2
M-2 277 - 284.4	M-2 277 - 284.4	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 277.0 - 284.4	7.40	8.20	1.50	2
M-2 289.1 - 299	M-2 289.1 - 299	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 289.1 - 299.0	9.90	8.20	1.50	2
M-2 308 - 320.1	M-2 308 - 320.1	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 308.0 - 320.1	12.10	8.20	1.50	2
M-2 320.1 - 337	M-2 320.1 - 337	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 320.1 - 337.0	16.90	8.20	1.50	2
M-2 337 - 348.6	M-2 337 - 348.6	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 337.0 - 348.6	11.60	8.20	1.50	2
M-2 348.6 - 364	M-2 348.6 - 364	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 348.6 - 364.0	15.40	8.20	1.50	2
M-2 47.3 - 53.1	M-2 47.3 - 53.1	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 47.3 - 53.1	5.80	8.20	1.50	2
M-2 65.4 - 82	M-2 65.4 - 82	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 65.4 - 82.0	16.60	8.20	1.50	2
M-2 91.6 - 98	M-2 91.6 - 98	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2 91.6 - 98.0	6.40	8.20	1.50	2
M-2L 28.9 - 36.2	M-2L 28.9 - 36.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2L 28.9 - 36.2	7.30	9.00	3.75	2
M-2L 36.2 - 47.3	M-2L 36.2 - 47.3	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2L 36.2 - 47.3	11.10	9.00	3.75	2
M-2R 28.9 - 37.8	M-2R 28.9 - 37.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2R 28.9 - 37.8	8.90	9.00	3.75	2
M-2R 37.8 - 47.3	M-2R 37.8 - 47.3	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-2R 37.8 - 47.3	9.50	9.00	3.75	2
M-3 10.5 - 17.9	M-3 10.5 - 17.9	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-3 10.5 - 17.9	7.40	9.34	2.25	2
M-3 105.0 - 112.9	M-3 105.0 - 112.9	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-3 105.0 - 112.9	7.90	9.34	2.25	2
M-3 116.9 - 127.9	M-3 116.9 - 127.9	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-3 116.9 - 127.9	11.00	9.34	2.25	2

M-3 21.5 - 33.8	M-3 21.5 - 33.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-3 21.5 - 33.8	12.30	9.34	2.25	2
M-3 33.8 - 45.3	M-3 33.8 - 45.3	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-3 33.8 - 45.3	11.50	9.34	2.25	2
M-3 75.5 - 94.2	M-3 75.5 - 94.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-3 75.5 - 94.2	18.70	9.34	2.25	2
M-4 108.5 - 118	M-4 108.5 - 118	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4 108.5 - 118.0	9.50	9.16	1.75	2
M-4 118.0 - 128.0	M-4 118.0 - 128.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4 118.0 - 128.0	10.00	9.16	1.75	2
M-4 134.0 - 144.1	M-4 134.0 - 144.1	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4 134.0 - 144.1	10.10	9.16	1.75	2
M-4 144.1 - 148.2	M-4 144.1 - 148.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4 144.1 - 148.2	4.10	9.16	1.75	2
M-4 73.3 - 83.2	M-4 73.3 - 83.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4 73.3 - 83.2	9.90	9.16	1.75	2
M-4 91.2 - 96.2	M-4 91.2 - 96.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4 91.2 - 96.2	5.00	9.16	1.75	2
M-4 96.4- 108.5	M-4 96.4 - 108.5	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4 96.4 - 108.5	12.10	9.16	1.75	2
M-4L 10.3 - 27.0	M-4L 10.3 - 27.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4L 10.3 - 27.0	16.70	8.93	2.57	2
M-4L 35.5 - 48.0	M-4L 35.5 - 48.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4L 35.5 - 48.0	12.50	8.93	2.57	2
M-4L 48.0 - 61.0	M-4L 48.0 - 61.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4L 48.0 - 61.0	13.00	8.93	2.57	2
M-4L 61.0 - 73.3	M-4L 61.0 - 73.3	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4L 61.0 - 73.3	12.30	8.93	2.57	2
M-4R 12.7 - 26.0	M-4R 12.7 - 26.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4R 12.7 - 26.0	13.30	8.85	2.57	2
M-4R 32.6 - 45.0	M-4R 32.6 - 45.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4R 32.6 - 45.0	12.40	8.85	2.57	2
M-4R 45.0 - 59.4	M-4R 45.0 - 59.4	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4R 45.0 - 59.4	14.40	8.85	2.57	2
M-4R 59.4 - 73.3	M-4R 59.4 - 73.3	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-4R 59.4 - 73.3	13.90	8.85	2.57	2
M-5 52.0 - 59.0	M-5 52.0 - 59.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-5 52.0 - 59.0	7.00	7.06	1.60	2
M-5 59.0 - 63.1	M-5 59.0 - 63.1	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-5 52.0 - 59.0	4.10	7.06	1.60	2
M-5L 44.1 - 52.0	M-5L 44.1 - 52.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-5L 42.5 - 52.0	7.90	8.54	1.58	2

M-5R 44.1 - 52.0	M-5R 44.1 - 52.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-5R 42.1 - 52.0	7.90	8.77	1.58	2
M-6 0.0 - 20.0	M-6 0.0 - 20.0	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-6 0 - 20.0	20.00	8.93	1.40	2
M-6 20.0 - 38.45	M-6 20.0 - 38.45	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-6 20.0 - 38.45	18.45	8.93	1.40	2
M-7 19.0 - 30.5	M-7 19.0 - 30.5	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-7 19.0 - 30.5	11.50	9.06	2.03	2
M-7 36.0 - 42.8	M-7 36.0 - 42.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-7 36.0 - 42.8	6.80	9.06	2.03	2
M-8 10.5 - 13.2	M-8 10.5 - 13.2	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-8 10.5 - 13.2	20.30	8.90	2.10	2
M-8 13.2 - 33.5	M-8 13.2 - 33.5	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-8 13.2 - 33.5	20.30	8.90	2.10	2
M-9 14.6 - 25.4	M-9 14.6 - 25.4	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-9 14.6 - 25.4	10.80	7.60	1.40	2
M-9 25.4 - 41.4	M-9 25.4 - 41.4	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-9 25.4 - 41.4	16.00	7.60	1.40	2
M-9 3.6 - 14.6	M-9 3.6 - 14.6	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-9 3.6 - 14.6	11.00	7.60	1.40	2
M-9 41.4 - 53.8	M-9 41.4 - 53.8	Two Lane Standard	Free-Flow	Highway	Subtropical - Hot Bituminous	M-9 41.4 - 53.8	12.40	7.60	1.40	2