

HIGHWAY DEVELOPMENT &amp; MANAGEMENT

Study Name: **Republican\_2020**Run Date: **04-12-2020**

ID	Name	Speed Flow Type	Traffic Flow Pattern	Road Class	Climate Zone	Surface Class	Calibration Item	Length (Km)	Width (m)	Shoulder width (m)	ELanes
R-10 0 - 15.8	R-10 0 - 15.8	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-10 0 - 15.8	15.80	8.90	1.40	2
R-10 15.8 - 30.2	R-10 15.8 - 30.2	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-10 15.8 - 30.2	14.40	8.90	1.40	2
R-10 30.2 - 41.4	R-10 30.2 - 41.4	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-10 30.2 - 41.4	11.20	8.90	1.40	2
R-19 0 - 9.5	R-19 0 - 9.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-19 0 -9.5	9.50	7.80	1.00	2
R-20 0 - 8.3	R-20 0 - 8.3	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-20 0 - 8.3	8.30	7.10	1.00	2
R-20 20.3- 31.4	R-20 20.3- 31.4	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-20 20.3 - 31.4	11.10	7.10	1.00	2
R-20 8.3 - 20.3	R-20 8.3 - 20.3	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-20 8.3 -20.3	12.00	7.10	1.00	2
R-20-1 0 - 5.5	R-20-1 0 - 5.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-20-1 0 - 5.5	5.50	4.60	1.00	2
R-23 0 - 13.4	R-23 0 - 13.4	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-23 0 - 13.4	13.40	8.00	1.00	2
R-24 0 - 21.1	R-24 0 - 21.1	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-24 0 - 21.1	21.10	6.00	1.00	2
R-30 11.0 - 32.0	R-30 11.0 - 32.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-30 11.0 - 32.0	21.00	7.50	1.20	2
R-30 35.0 - 48.9	R-30 35.0 - 48.9	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot	Bituminous	R-30 35.0 - 48.9	13.90	7.50	1.20	2

R-30 48.9 - 55.2	R-30 48.9 - 55.2	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-30 48.9 - 55.2	6.30	7.50	1.20	2
R-34 0 - 5.0	R-34 0 - 5.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-34 0 - 5.0	5.00	6.40	1.00	2
R-35 0 - 7.7	R-35 0 - 7.7	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-35 0 - 7.7	7.70	6.00	1.00	2
R-35 7.7 - 14.8	R-35 7.7 - 14.8	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-35 7.7 - 14.8	7.10	6.00	1.00	2
R-37 0 - 15.4	R-37 0 - 15.4	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-37 0 - 15.4	15.40	6.70	1.00	2
R-37 15.4 - 23.0	R-37 15.4 - 23.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-37 15.4 - 23.0	7.60	6.70	1.00	2
R-37-1 0 - 3.2	R-37-1 0 - 3.2	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-37-1 0 - 3.2	3.20	6.00	1.00	2
R-4 26.1 - 33.5	R-4 26.1 - 33.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-4 26.1 - 33.5	7.40	7.60	1.40	2
R-4 34.8 - 41.2	R-4 34.8 - 41.2	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-4 34.8 - 41.2	6.40	7.60	1.40	2
R-4 15.6 - 28.3	R-4 15.6 - 28.3	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-4 15.6 - 28.3	10.50	7.60	1.40	2
R-40 0 - 11.0	R-40 0 - 11.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-40 0 - 11.0	11.00	6.00	1.00	2
R-40 11.0 - 23.0	R-40 11.0 - 23.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-40 11.0 - 23.0	12.00	6.00	1.00	2
R-40 47.0 - 66.0	R-40 47.0 - 66.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-40 47.0 - 66.0	19.00	6.00	1.00	2
R-40 66.0 - 70.0	R-40 66.0 - 70.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-40 66.0 - 70.0	4.00	6.00	1.00	2
R-42 0 - 9.5	R-42 0 - 9.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-42 0 - 9.5	9.50	6.00	1.00	2
R-43 0 - 7.9	R-43 0 - 7.9	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-43 0 - 7.9	7.90	6.00	1.60	2
R-43 15.0 - 26.0	R-43 15.0 - 26.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-43 15.0 - 26.0	11.00	6.00	1.60	2
R-43 7.9 - 15.0	R-43 7.9 - 15.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-43 7.9 - 15.0	7.10	6.00	1.00	2
R-45 0 - 7.7	R-45 0 - 7.7	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-45 0 - 7.7	7.70	6.00	1.00	2
R-45 7.7 - 14.5	R-45 7.7 - 14.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-45 7.7 - 14.5	6.80	6.00	1.00	2
R-46 0 - 12.9	R-46 0 - 12.9	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-46 0 - 12.9	12.90	6.00	1.00	2

R-46 12.9 -25.0	R-46 12.9 -25.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-46 12.9 - 25.0	12.10	6.00	1.00	2
R-48 0 - 10.0	R-48 0 - 10.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-48 0 - 10.0	10.00	6.00	1.00	2
R-48 10.0 -17.5	R-48 10.0 -17.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-48 10.0 - 17.5	7.50	6.00	1.00	2
R-51 0 - 6.0	R-51 0 - 6.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-51 0 - 6.0	6.00	6.00	1.00	2
R-56 0 -5.3	R-56 0 -5.3	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-56 0 - 5.3	5.30	6.00	1.00	2
R-59 0 - 8.2	R-59 0 - 8.2	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-59 0 - 8.2	8.20	6.00	1.00	2
R-60 0 - 8.0	R-60 0 - 8.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-60 0 - 8.0	8.00	6.00	1.00	2
R-60 8.0 - 12.8	R-60 8.0 - 12.8	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-60 8.0 - 12.8	4.80	6.00	1.00	2
R-61 0 - 3.8	R-61 0 - 3.8	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-61 0 - 3.8	3.80	6.00	1.00	2
R-62 0 - 3.5	R-62 0 - 3.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-62 0 - 3.5	3.50	6.00	1.00	2
R-63 0 - 9.2	R-63 0 - 9.2	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-63 0 - 9.2	9.20	6.00	1.00	2
R-63 9.2 - 18.0	R-63 9.2 - 18.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-63 9.2 - 18.0	8.80	6.00	1.00	2
R-64 0 - 11.9	R-64 0 - 11.9	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-64 0 - 11.9	11.90	6.00	1.00	2
R-64 11.9 - 19.4	R-64 11.9 - 19.4	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-64 11.9 - 19.4	7.50	6.00	1.00	2
R-64 19.4 - 32.5	R-64 19.4 - 32.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-64 19.4 - 32.5	13.10	6.00	1.00	2
R-71 0 - 2.0	R-71 0 - 2.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-71 0 - 2.0	2.00	6.00	1.00	2
R-74 0 - 4.6	R-74 0 - 4.6	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-74 0 - 4.6	4.60	6.00	1.00	2
R-8 0 - 11.5	R-8 0 - 11.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-8 0 - 11.5	11.50	9.45	1.00	2
R-8 11.5 - 21.2	R-8 11.5 - 21.2	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-8 11.5 - 21.2	9.70	9.45	1.00	2
R-81 12.5 - 26.3	R-81 12.5 - 26.3	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-81 12.5 - 26.3	13.80	6.00	1.00	2
R-81 0 - 12.5	R-81 0 - 12.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-81 0 - 12.5	12.50	6.00	1.00	2
R-85 0 - 7.6	R-85 0 - 7.6	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-85 0 - 7.6	7.60	6.00	1.00	2

R-86 0 - 10.5	R-86 0 - 10.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-86 0 - 10.5	10.50	6.00	1.00	2
R-88 0 - 2.5	R-88 0 - 2.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-88 0 - 2.5	2.50	6.00	1.00	2
R-89 0 - 9.6	R-89 0 - 9.6	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-89 0 - 9.6	9.60	6.00	1.00	2
R-89 9.6 - 20.5	R-89 9.6 - 20.5	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-89 9.6 - 20.5	9.60	6.00	1.00	2
R-90 0 - 4.4	R-90 0 - 4.4	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-90 0 - 4.4	4.40	6.00	1.00	2
R-94 0 - 11.0	R-94 0 - 11.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-94 0 - 11.0	11.00	6.00	1.00	2
R-94-1 0 - 1.0	R-94-1 0 - 1.0	Two Lane Standard	Free-Flow	Republican	Subtropical - Hot Bituminous	R-94-1 0 - 1.0	11.00	6.00	1.00	2